

PubMed	Nucleotide	Protein	Genome	Structure	PopSet	Taxonomy	OMIM
Search PubMed	for monoclonal antibodies to listeria					Go	Clear
Limits		Preview/Index		History		Clipboard	

Entrez PubMed

Display	Summary	Save	Text	Order	Details	Add to Clipboard
Show	100	Items 1-20 of 178	Page 1 of 9		Select page: 1 2 3 4 5 6 7 8	

PubMed Services

☐ 1: [Edelson BT, Unanue ER.](#)

Related Article

Intracellular antibody neutralizes *Listeria* growth.
Immunity. 2001 May;14(5):503-12.
PMID: 11371353 [PubMed - indexed for MEDLINE]

☐ 2: [Levitt JM, Howell DD, Rodgers JR, Rich RR.](#)

Related Article

Exogenous peptides enter the endoplasmic reticulum of TAP-deficient cells and induce the maturation of nascent MHC class I molecules.
Eur J Immunol. 2001 Apr;31(4):1181-90.
PMID: 11298343 [PubMed - indexed for MEDLINE]

Related Resources

☐ 3: [Rolph MS, Kaufmann SH.](#)

Related Article

CD40 signaling converts a minimally immunogenic antigen into a potent vaccine against the intracellular pathogen *Listeria monocytogenes*.
J Immunol. 2001 Apr 15;166(8):5115-21.
PMID: 11290793 [PubMed - indexed for MEDLINE]

☐ 4: [Winters DK, Ivey DM, Maloney TP, Johnson MG.](#)

Related Articles, Protein, Nucleotide

Characterization by molecular cloning and sequencing of the gene encoding an aminopeptidase from *Listeria monocytogenes*.
Antonie Van Leeuwenhoek. 2000 Aug;78(2):141-51.
PMID: 11204766 [PubMed - indexed for MEDLINE]

☐ 5: [Mansell A, Braun L, Cossart P, O'Neill LA.](#)

Related Article

A novel function of InlB from *Listeria monocytogenes*: activation of NF-kappaB in J774 macrophages.
Cell Microbiol. 2000 Apr;2(2):127-36.
PMID: 11207569 [PubMed - indexed for MEDLINE]

☐ 6: [Lei XH, Fiedler F, Lan Z, Kathariou S.](#)

Related Articles, Protein, Nucleotide

A novel serotype-specific gene cassette (gltA-gltB) is required for expression of teichoic acid-associated surface antigens in *Listeria monocytogenes* of serotype 4b.
J Bacteriol. 2001 Feb;183(4):1133-9.
PMID: 11157924 [PubMed - indexed for MEDLINE]

☐ 7: [Roos KL.](#)

Related Article

Bacterial Meningitis.


Current treatment options in neurology.. 1999 May;1(2):147-156.
PMID: 11096704 [PubMed - as supplied by publisher]

- ☐ **8:** O'Brien RL, Yin X, Huber SA, Ikuta K, Born WK. Related Article
Depletion of a gamma delta T cell subset can increase host resistance to a bacterial infection.
J Immunol. 2000 Dec 1;165(11):6472-9.
PMID: 11086087 [PubMed - indexed for MEDLINE]
- ☐ **9:** Yamada K, Yoshino K, Sekikawa K, Madarame H, Yagita H, Nakane A. Related Article
Effect of a matrix metalloproteinase inhibitor on host resistance against *Listeria monocytogenes* infection.
FEMS Immunol Med Microbiol. 2000 Nov;29(3):187-94.
PMID: 11064265 [PubMed - indexed for MEDLINE]
- ☐ **10:** Clark EE, Wesley I, Fiedler F, Promadej N, Kathariou S. Related Article
Absence of serotype-specific surface antigen and altered teichoic acid glycosylation among epidemic-associated strains of *Listeria monocytogenes*.
J Clin Microbiol. 2000 Oct;38(10):3856-9.
PMID: 11015420 [PubMed - indexed for MEDLINE]
- ☐ **11:** Lopez S, Marco AJ, Prats N, Czuprynski CJ. Related Article
Critical role of neutrophils in eliminating *Listeria monocytogenes* from the central nervous system during experimental murine listeriosis.
Infect Immun. 2000 Aug;68(8):4789-91.
PMID: 10899890 [PubMed - indexed for MEDLINE]
- ☐ **12:** Samsom JN, Annema A, Geertsma MF, Langermans JA, Groeneveld PH, de Heer E, van Furth R. Related Article
Interleukin-10 has different effects on proliferation of *Listeria monocytogenes* in livers and spleens of mice.
Infect Immun. 2000 Aug;68(8):4666-72.
PMID: 10899871 [PubMed - indexed for MEDLINE]
- ☐ **13:** Carroll SA, Carr LE, Mallinson ET, Lamichanne C, Rice BE, Rollins DM, Joseph SW. Related Article
A colony lift immunoassay for the specific identification and quantification of *Listeria monocytogenes*.
J Microbiol Methods. 2000 Jul;41(2):145-53.
PMID: 10889311 [PubMed - indexed for MEDLINE]
- ☐ **14:** Solve M, Boel J, Norrung B. Related Article
Evaluation of a monoclonal antibody able to detect live *Listeria monocytogenes* and *Listeria innocua*.
Int J Food Microbiol. 2000 Jun 15;57(3):219-24.
PMID: 10868683 [PubMed - indexed for MEDLINE]
- ☐ **15:** Badovinac VP, Harty JT. Related Article
Intracellular staining for TNF and IFN-gamma detects different frequencies of antigen-specific CD8(+) T cells.
J Immunol Methods. 2000 Apr 21;238(1-2):107-17.
PMID: 10758241 [PubMed - indexed for MEDLINE]

- ☐ **16:** [Morelli J, Wilson FA.](#) Related Article
Does administration of infliximab increase susceptibility to listeriosis?
Am J Gastroenterol. 2000 Mar;95(3):841-2. No abstract available.
PMID: 10710107 [PubMed - indexed for MEDLINE]
- ☐ **17:** [Opal SM, Keith JC, Palardy JE, Parejo N.](#) Related Article
Recombinant human interleukin-11 has anti-inflammatory actions yet does not exacerbate systemic Listeria infection.
J Infect Dis. 2000 Feb;181(2):754-6.
PMID: 10669370 [PubMed - indexed for MEDLINE]
- ☐ **18:** [Seiler P, Aichele P, Raupach B, Odermatt B, Steinhoff U, Kaufmann SH.](#) Related Article
Rapid neutrophil response controls fast-replicating intracellular bacteria but not slow-replicating Mycobacterium tuberculosis.
J Infect Dis. 2000 Feb;181(2):671-80.
PMID: 10669354 [PubMed - indexed for MEDLINE]
- ☐ **19:** [Flo TH, Halaas O, Lien E, Ryan L, Teti G, Golenbock DT, Sundan A, Espevik T.](#) Related Article
Human toll-like receptor 2 mediates monocyte activation by Listeria monocytogenes, but not by group B streptococci or lipopolysaccharide.
J Immunol. 2000 Feb 15;164(4):2064-9.
PMID: 10657659 [PubMed - indexed for MEDLINE]
- ☐ **20:** [Schubert K, Bichlmaier AM, Mager E, Wolff K, Ruhland G, Fiedler F.](#) Related Articles, Protein, Nucleotide
P45, an extracellular 45 kDa protein of Listeria monocytogenes with similarity to protein p60 and exhibiting peptidoglycan lytic activity.
Arch Microbiol. 2000 Jan;173(1):21-8.
PMID: 10648100 [PubMed - indexed for MEDLINE]

Display	Summary	<input type="checkbox"/>	Save	Text	Order	Details	Add to Clipboard
Show:	100	<input type="checkbox"/>	Items 1-20 of 178		Page 1 of 9	Select page:	1 2 3 4 5 6 7 8

[Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)
[Department of Health & Human Services](#)
[Freedom of Information Act](#) | [Disclaimer](#)



PubMed	Nucleotide	Protein	Genome	Structure	PopSet	Taxonomy	OMIM
Search PubMed	▼ for monoclonal antibodies to listeria					Go	Clear
Limits		Preview/Index		History		Clipboard	

Entrez PubMed

0 items were added to Clipboard
Clipboard items will be lost after one hour of inactivity.
The maximum number of Clipboard items is 500

PubMed Services

Display	Summary	▼	Save	Text	Order	Details	Add to Clipboard
Show	200	▼	Items 1-178 of 178				One page

Related Resources

☐ 1: [Edelson BT, Unanue ER.](#)

Related Article

Intracellular antibody neutralizes Listeria growth.
Immunity. 2001 May;14(5):503-12.
PMID: 11371353 [PubMed - indexed for MEDLINE]

☐ 2: [Levitt JM, Howell DD, Rodgers JR, Rich RR.](#)

Related Article

Exogenous peptides enter the endoplasmic reticulum of TAP-deficient cells and induce the maturation of nascent MHC class I molecules.
Eur J Immunol. 2001 Apr;31(4):1181-90.
PMID: 11298343 [PubMed - indexed for MEDLINE]

☐ 3: [Rolph MS, Kaufmann SH.](#)

Related Article

CD40 signaling converts a minimally immunogenic antigen into a potent vaccine against the intracellular pathogen Listeria monocytogenes.
J Immunol. 2001 Apr 15;166(8):5115-21.
PMID: 11290793 [PubMed - indexed for MEDLINE]

☐ 4: [Winters DK, Ivey DM, Maloney TP, Johnson MG.](#)

Related Articles, Protein, Nucleotide

Characterization by molecular cloning and sequencing of the gene encoding an aminopeptidase from Listeria monocytogenes.
Antonie Van Leeuwenhoek. 2000 Aug;78(2):141-51.
PMID: 11204766 [PubMed - indexed for MEDLINE]

☐ 5: [Mansell A, Braun L, Cossart P, O'Neill LA.](#)

Related Article

A novel function of InIB from Listeria monocytogenes: activation of NF-kappaB in J774 macrophages.
Cell Microbiol. 2000 Apr;2(2):127-36.
PMID: 11207569 [PubMed - indexed for MEDLINE]

☐ 6: [Lei XH, Fiedler F, Lan Z, Kathariou S.](#)

Related Articles, Protein, Nucleotide

A novel serotype-specific gene cassette (gltA-gltB) is required for expression of teichoic acid-associated surface antigens in Listeria monocytogenes of serotype 4b.
J Bacteriol. 2001 Feb;183(4):1133-9.

PMID: 11157924 [PubMed - indexed for MEDLINE]

- ☐ **7:** Roos KL. Related Artic
Bacterial Meningitis.
Current treatment options in neurology.. 1999 May;1(2):147-156.
PMID: 11096704 [PubMed - as supplied by publisher]
- ☐ **8:** O'Brien RL, Yin X, Huber SA, Ikuta K, Born WK. Related Artic
Depletion of a gamma delta T cell subset can increase host resistance to a bacterial infection.
J Immunol. 2000 Dec 1;165(11):6472-9.
PMID: 11086087 [PubMed - indexed for MEDLINE]
- ☐ **9:** Yamada K, Yoshino K, Sekikawa K, Madarame H, Yagita H, Nakane A. Related Artic
Effect of a matrix metalloproteinase inhibitor on host resistance against Listeria monocytogenes infection.
FEMS Immunol Med Microbiol. 2000 Nov;29(3):187-94.
PMID: 11064265 [PubMed - indexed for MEDLINE]
- ☐ **10:** Clark EE, Wesley I, Fiedler F, Promadej N, Kathariou S. Related Artic
Absence of serotype-specific surface antigen and altered teichoic acid glycosylation among epidemic-associated strains of Listeria monocytogenes.
J Clin Microbiol. 2000 Oct;38(10):3856-9.
PMID: 11015420 [PubMed - indexed for MEDLINE]
- ☐ **11:** Lopez S, Marco AJ, Prats N, Czuprynski CJ. Related Artic
Critical role of neutrophils in eliminating Listeria monocytogenes from the central nervous system during experimental murine listeriosis.
Infect Immun. 2000 Aug;68(8):4789-91.
PMID: 10899890 [PubMed - indexed for MEDLINE]
- ☐ **12:** Samsom JN, Annema A, Geertsma MF, Langermans JA, Groeneveld PH, de Heer E, van Furth R. Related Artic
Interleukin-10 has different effects on proliferation of Listeria monocytogenes in livers and spleens of mice.
Infect Immun. 2000 Aug;68(8):4666-72.
PMID: 10899871 [PubMed - indexed for MEDLINE]
- ☐ **13:** Carroll SA, Carr LE, Mallinson ET, Lamichanne C, Rice BE, Rollins DM, Joseph SW. Related Artic
A colony lift immunoassay for the specific identification and quantification of Listeria monocytogenes.
J Microbiol Methods. 2000 Jul;41(2):145-53.
PMID: 10889311 [PubMed - indexed for MEDLINE]
- ☐ **14:** Solve M, Boel J, Norrung B. Related Artic
Evaluation of a monoclonal antibody able to detect live Listeria monocytogenes and Listeria innocua.
Int J Food Microbiol. 2000 Jun 15;57(3):219-24.
PMID: 10868683 [PubMed - indexed for MEDLINE]

- ☐ **15:** Badovinac VP, Harty JT. Related Article
Intracellular staining for TNF and IFN-gamma detects different frequencies of antigen-specific CD8(+) T cells.
J Immunol Methods. 2000 Apr 21;238(1-2):107-17.
PMID: 10758241 [PubMed - indexed for MEDLINE]
- ☐ **16:** Morelli J, Wilson FA. Related Article
Does administration of infliximab increase susceptibility to listeriosis?
Am J Gastroenterol. 2000 Mar;95(3):841-2. No abstract available.
PMID: 10710107 [PubMed - indexed for MEDLINE]
- ☐ **17:** Opal SM, Keith JC, Palardy JE, Parejo N. Related Article
Recombinant human interleukin-11 has anti-inflammatory actions yet does not exacerbate systemic *Listeria* infection.
J Infect Dis. 2000 Feb;181(2):754-6.
PMID: 10669370 [PubMed - indexed for MEDLINE]
- ☐ **18:** Seiler P, Aichele P, Raupach B, Odermatt B, Steinhoff U, Kaufmann SH. Related Article
Rapid neutrophil response controls fast-replicating intracellular bacteria but not slow-replicating *Mycobacterium tuberculosis*.
J Infect Dis. 2000 Feb;181(2):671-80.
PMID: 10669354 [PubMed - indexed for MEDLINE]
- ☐ **19:** Flo TH, Halaas O, Lien E, Ryan L, Teti G, Golenbock DT, Sundan A, Espevik T. Related Article
Human toll-like receptor 2 mediates monocyte activation by *Listeria monocytogenes*, but not by group B streptococci or lipopolysaccharide.
J Immunol. 2000 Feb 15;164(4):2064-9.
PMID: 10657659 [PubMed - indexed for MEDLINE]
- ☐ **20:** Schubert K, Bichlmaier AM, Mager E, Wolff K, Ruhland G, Fiedler F. Related Articles, Protein, Nucleotide
P45, an extracellular 45 kDa protein of *Listeria monocytogenes* with similarity to protein p60 and exhibiting peptidoglycan lytic activity.
Arch Microbiol. 2000 Jan;173(1):21-8.
PMID: 10648100 [PubMed - indexed for MEDLINE]
- ☐ **21:** Fleming SD, Leenen PJ, Freed JH, Campbell PA. Related Article
Surface interleukin-10 inhibits listericidal activity by primary macrophages.
J Leukoc Biol. 1999 Dec;66(6):961-7.
PMID: 10614778 [PubMed - indexed for MEDLINE]
- ☐ **22:** Braun L, Nato F, Payrastre B, Mazie JC, Cossart P. Related Article
The 213-amino-acid leucine-rich repeat region of the *Listeria monocytogenes* I protein is sufficient for entry into mammalian cells, stimulation of PI 3-kinase membrane ruffling.
Mol Microbiol. 1999 Oct;34(1):10-23.
PMID: 10540282 [PubMed - indexed for MEDLINE]
- ☐ **23:** Edelson BT, Cossart P, Unanue ER. Related Article
Cutting edge: paradigm revisited: antibody provides resistance to *Listeria*

infection.

J Immunol. 1999 Oct 15;163(8):4087-90.

PMID: 10510340 [PubMed - indexed for MEDLINE]

- ☐ **24:** Warschkau H, Kiderlen AF. Related Article

A monoclonal antibody directed against the murine macrophage surface molecule F4/80 modulates natural immune response to *Listeria monocytogenes*.

J Immunol. 1999 Sep 15;163(6):3409-16.

PMID: 10477612 [PubMed - indexed for MEDLINE]

- ☐ **25:** Genovese F, Mancuso G, Cuzzola M, Biondo C, Beninati C, Delfino D, Teti G. Related Article

Role of IL-10 in a neonatal mouse listeriosis model.

J Immunol. 1999 Sep 1;163(5):2777-82.

PMID: 10453021 [PubMed - indexed for MEDLINE]

- ☐ **26:** Chiu NM, Chun T, Fay M, Mandal M, Wang CR. Related Article

The majority of H2-M3 is retained intracellularly in a peptide-receptive state and traffics to the cell surface in the presence of N-formylated peptides.

J Exp Med. 1999 Aug 2;190(3):423-34.

PMID: 10430630 [PubMed - indexed for MEDLINE]

- ☐ **27:** Erdenlig S, Ainsworth AJ, Austin FW. Related Article

Production of monoclonal antibodies to *Listeria monocytogenes* and their application to determine the virulence of isolates from channel catfish.

Appl Environ Microbiol. 1999 Jul;65(7):2827-32.

PMID: 10388671 [PubMed - indexed for MEDLINE]

- ☐ **28:** Nakane A, Yamada K, Hasegawa S, Mizuki D, Mizuki M, Sasaki S, Miura T. Related Article

Endogenous cytokines during a lethal infection with *Listeria monocytogenes* in mice.

FEMS Microbiol Lett. 1999 Jun 1;175(1):133-42.

PMID: 10361718 [PubMed - indexed for MEDLINE]

- ☐ **29:** Szalay G, Ladel CH, Blum C, Brossay L, Kronenberg M, Kaufmann SH. Related Article

Cutting edge: anti-CD1 monoclonal antibody treatment reverses the production patterns of TGF-beta 2 and Th1 cytokines and ameliorates listeriosis in mice.

J Immunol. 1999 Jun 15;162(12):6955-8.

PMID: 10358132 [PubMed - indexed for MEDLINE]

- ☐ **30:** Promadej N, Fiedler F, Cossart P, Dramsi S, Kathariou S. Related Articles, Protein, Nucleotide

Cell wall teichoic acid glycosylation in *Listeria monocytogenes* serotype 4b requires gtcA, a novel, serogroup-specific gene.

J Bacteriol. 1999 Jan;181(2):418-25.

PMID: 9882654 [PubMed - indexed for MEDLINE]

- ☐ **31:** Hirose K, Suzuki H, Nishimura H, Mitani A, Washizu J, Matsuguchi T, Yoshikai Y. Related Article

Interleukin-15 may be responsible for early activation of intestinal intraepithelial lymphocytes after oral infection with *Listeria monocytogenes* in rats.

Infect Immun. 1998 Dec;66(12):5677-83.

PMID: 9826341 [PubMed - indexed for MEDLINE]

- ☐ **32:** de Bruijn MF, van Vianen W, Ploemacher RE, Bakker-Woudenberg IA, Campbell PA, van Ewijk W, Leenen PJ. Related Article
Bone marrow cellular composition in *Listeria monocytogenes* infected mice detected using ER-MP12 and ER-MP20 antibodies: a flow cytometric alternative to differential counting.
J Immunol Methods. 1998 Aug 1;217(1-2):27-39.
PMID: 9776572 [PubMed - indexed for MEDLINE]
- ☐ **33:** Nannapaneni R, Story R, Bhunia AK, Johnson MG. Related Article
Reactivities of genus-specific monoclonal antibody EM-6E11 against *Listeria* species and serotypes of *Listeria monocytogenes* grown in nonselective and selective enrichment broth media.
J Food Prot. 1998 Sep;61(9):1195-8.
PMID: 9766076 [PubMed - indexed for MEDLINE]
- ☐ **34:** Campbell DJ, Shastri N. Related Article
Bacterial surface proteins recognized by CD4+ T cells during murine infection with *Listeria monocytogenes*.
J Immunol. 1998 Sep 1;161(5):2339-47.
PMID: 9725229 [PubMed - indexed for MEDLINE]
- ☐ **35:** Nannapaneni R, Story R, Bhunia AK, Johnson MG. Related Article
Unstable expression and thermal instability of a species-specific cell surface epitope associated with a 66-kilodalton antigen recognized by monoclonal antibody EM-7G1 within serotypes of *Listeria monocytogenes* grown in nonselective and selective broths.
Appl Environ Microbiol. 1998 Aug;64(8):3070-4.
PMID: 9687476 [PubMed - indexed for MEDLINE]
- ☐ **36:** Muller S, Hain T, Pashalidis P, Lingnau A, Domann E, Chakraborty T, Wehland J. Related Article
Purification of the *inlB* gene product of *Listeria monocytogenes* and demonstration of its biological activity.
Infect Immun. 1998 Jul;66(7):3128-33.
PMID: 9632576 [PubMed - indexed for MEDLINE]
- ☐ **37:** Beretich GR Jr, Carter PB, Havell EA. Related Article
Roles for tumor necrosis factor and gamma interferon in resistance to enteric listeriosis.
Infect Immun. 1998 May;66(5):2368-73.
PMID: 9573134 [PubMed - indexed for MEDLINE]
- ☐ **38:** Duffy G, Sheridan JJ. Related Article
The effect of temperature, pH and medium in a surface adhesion immunofluorescent technique for detection of *Listeria monocytogenes*.
J Appl Microbiol. 1997 Jul;83(1):95-101.
PMID: 9246776 [PubMed - indexed for MEDLINE]
- ☐ **39:** Fuse Y, Nishimura H, Maeda K, Yoshikai Y. Related Article
CD95 (Fas) may control the expansion of activated T cells after elimination of

bacteria in murine listeriosis.

Infect Immun. 1997 May;65(5):1883-91.

PMID: 9125576 [PubMed - indexed for MEDLINE]

☐ **40: Conlan JW.**

Related Article

Neutrophils and tumour necrosis factor-alpha are important for controlling early gastrointestinal stages of experimental murine listeriosis.

J Med Microbiol. 1997 Mar;46(3):239-50.

PMID: 9126825 [PubMed - indexed for MEDLINE]

☐ **41: Lei XH, Promadej N, Kathariou S.**

Related Article

DNA fragments from regions involved in surface antigen expression specifically identify *Listeria monocytogenes* serovar 4 and a subset thereof: cluster IIB (serotypes 4b, 4d, and 4e).

Appl Environ Microbiol. 1997 Mar;63(3):1077-82.

PMID: 9055423 [PubMed - indexed for MEDLINE]

☐ **42: Thoma-Uszynski S, Ladel CH, Kaufmann SH.**

Related Article

Abscess formation in *Listeria monocytogenes*-infected gamma delta T cell deficient mouse mutants involves alpha beta T cells.

Microb Pathog. 1997 Feb;22(2):123-8.

PMID: 9050001 [PubMed - indexed for MEDLINE]

☐ **43: Jiang X, Gregory SH, Wing EJ.**

Related Article

Immune CD8+ T lymphocytes lyse *Listeria monocytogenes*-infected hepatocytes by a classical MHC class I-restricted mechanism.

J Immunol. 1997 Jan 1;158(1):287-93.

PMID: 8977201 [PubMed - indexed for MEDLINE]

☐ **44: Domann E, Zechel S, Lingnau A, Hain T, Darji A, Nichterlein T, Wehland J, Chakraborty T.**

Related Articles, Protein, Nucleotide

Identification and characterization of a novel PrfA-regulated gene in *Listeria monocytogenes* whose product, IrpA, is highly homologous to internalin protease which contain leucine-rich repeats.

Infect Immun. 1997 Jan;65(1):101-9.

PMID: 8975898 [PubMed - indexed for MEDLINE]

☐ **45: Nishikawa S, Miura T, Sasaki S, Nakane A.**

Related Article

The protective role of endogenous cytokines in host resistance against an intragastric infection with *Listeria monocytogenes* in mice.

FEMS Immunol Med Microbiol. 1996 Dec 31;16(3-4):291-8.

PMID: 9116648 [PubMed - indexed for MEDLINE]

☐ **46: Mengaud J, Lecuit M, Lebrun M, Nato F, Mazie JC, Cossart P.**

Related Article

Antibodies to the leucine-rich repeat region of internalin block entry of *Listeria monocytogenes* into cells expressing E-cadherin.

Infect Immun. 1996 Dec;64(12):5430-3.

PMID: 8945603 [PubMed - indexed for MEDLINE]

☐ **47: Szalay G, Ladel CH, Blum C, Kaufmann SH.**

Related Article

IL-4 neutralization or TNF-alpha treatment ameliorates disease by an intracellular

pathogen in IFN-gamma receptor-deficient mice.

J Immunol. 1996 Dec 1;157(11):4746-50.

PMID: 8943375 [PubMed - indexed for MEDLINE]

- ☐ 48: [Sawyer RT, Drevets DA, Campbell PA, Potter TA.](#)

Related Article

Internalin A can mediate phagocytosis of *Listeria monocytogenes* by mouse macrophage cell lines.

J Leukoc Biol. 1996 Nov;60(5):603-10.

PMID: 8929551 [PubMed - indexed for MEDLINE]

- ☐ 49: [Czuprynski CJ, Theisen C, Brown JF.](#)

Related Article

Treatment with the antigranulocyte monoclonal antibody RB6-8C5 impairs resistance of mice to gastrointestinal infection with *Listeria monocytogenes*.

Infect Immun. 1996 Sep;64(9):3946-9.

PMID: 8751957 [PubMed - indexed for MEDLINE]

- ☐ 50: [Sjostedt A, North RJ, Conlan JW.](#)

Related Article

The requirement of tumour necrosis factor-alpha and interferon-gamma for the expression of protective immunity to secondary murine tularemia depends on the size of the challenge inoculum.

Microbiology. 1996 Jun;142 (Pt 6):1369-74.

PMID: 8704976 [PubMed - indexed for MEDLINE]

- ☐ 51: [Cleveland MG, Gorham JD, Murphy TL, Tuomanen E, Murphy KM.](#)

Related Article

Lipoteichoic acid preparations of gram-positive bacteria induce interleukin-12 through a CD14-dependent pathway.

Infect Immun. 1996 Jun;64(6):1906-12.

PMID: 8675286 [PubMed - indexed for MEDLINE]

- ☐ 52: [Belles C, Kuhl AK, Donoghue AJ, Sano Y, O'Brien RL, Born W, Bottomly K, Carding SR.](#)

Related Article

Bias in the gamma delta T cell response to *Listeria monocytogenes*. V delta 6.3 cells are a major component of the gamma delta T cell response to *Listeria monocytogenes*.

J Immunol. 1996 Jun 1;156(11):4280-9.

PMID: 8666799 [PubMed - indexed for MEDLINE]

- ☐ 53: [Nakane A, Nishikawa S, Sasaki S, Miura T, Asano M, Kohanawa M, Ishiwata K, Minagawa T.](#)

Related Article

Endogenous interleukin-4, but not interleukin-10, is involved in suppression of host resistance against *Listeria monocytogenes* infection in interferon-depleted mice.

Infect Immun. 1996 Apr;64(4):1252-8.

PMID: 8606087 [PubMed - indexed for MEDLINE]

- ☐ 54: [Lingnau A, Chakraborty T, Niebuhr K, Domann E, Wehland J.](#)

Related Article

Identification and purification of novel internalin-related proteins in *Listeria monocytogenes* and *Listeria ivanovii*.

Infect Immun. 1996 Mar;64(3):1002-6.

PMID: 8641748 [PubMed - indexed for MEDLINE]

- ☐ **55:** Fleming SD, Campbell PA. Related Article
Macrophages have cell surface IL-10 that regulates macrophage bactericidal activity.
J Immunol. 1996 Feb 1;156(3):1143-50.
PMID: 8557991 [PubMed - indexed for MEDLINE]
- ☐ **56:** Emoto M, Neuhaus O, Emoto Y, Kaufmann SH. Related Article
Influence of beta 2-microglobulin expression on gamma interferon secretion and target cell lysis by intraepithelial lymphocytes during intestinal *Listeria monocytogenes* infection.
Infect Immun. 1996 Feb;64(2):569-75.
PMID: 8550209 [PubMed - indexed for MEDLINE]
- ☐ **57:** Bertotto A, Spinozzi F, Gerli R, Bassotti G, Forenza N, Vagliasindi C, Vaccaro R. Related Article
Peripheral blood gamma delta T cells in human listeriosis.
Acta Paediatr. 1995 Dec;84(12):1434-5.
PMID: 8645966 [PubMed - indexed for MEDLINE]
- ☐ **58:** Lingnau A, Domann E, Hudel M, Bock M, Nichterlein T, Wehland J, Chakraborty T. Related Articles, Nucleotide
Expression of the *Listeria monocytogenes* EGD inlA and inlB genes, whose products mediate bacterial entry into tissue culture cell lines, by PrfA-dependent and -independent mechanisms.
Infect Immun. 1995 Oct;63(10):3896-903.
PMID: 7558297 [PubMed - indexed for MEDLINE]
- ☐ **59:** Samsom JN, Langermans JA, Savelkoul HF, van Furth R. Related Article
Tumour necrosis factor, but not interferon-gamma, is essential for acquired resistance to *Listeria monocytogenes* during a secondary infection in mice.
Immunology. 1995 Oct;86(2):256-62.
PMID: 7490127 [PubMed - indexed for MEDLINE]
- ☐ **60:** Mukasa A, Hiromatsu K, Matsuzaki G, O'Brien R, Born W, Nomoto K. Related Article
Bacterial infection of the testis leading to autoaggressive immunity triggers apparently opposed responses of alpha beta and gamma delta T cells.
J Immunol. 1995 Aug 15;155(4):2047-56.
PMID: 7636256 [PubMed - indexed for MEDLINE]
- ☐ **61:** Fliss I, St Laurent M, Emond E, Simard RE, Lemieux R, Ettriki A, Pandian S. Related Article
Anti-DNA/RNA antibodies: an efficient tool for non-isotopic detection of *Listeria* species through a liquid-phase hybridization assay.
Appl Microbiol Biotechnol. 1995 Aug-Sep;43(4):717-24.
PMID: 7546609 [PubMed - indexed for MEDLINE]
- ☐ **62:** Nakane A, Nishikawa S, Sasaki S, Miura T, Asano M, Kohanawa M, Minagawa T. Related Article
A monoclonal antibody against T-cell receptor alpha beta induces endogenous cytokines and prevents mice from a lethal infection with *Listeria monocytogenes*.
FEMS Immunol Med Microbiol. 1995 Jul;11(4):321-7.
PMID: 8541810 [PubMed - indexed for MEDLINE]

- ☐ **63:** Kathariou S, Kanenaka R, Allen RD, Fok AK, Mizumoto C. Related Article
Repression of motility and flagellin production at 37 degrees C is stronger in *Listeria monocytogenes* than in the nonpathogenic species *Listeria innocua*.
Can J Microbiol. 1995 Jul;41(7):572-7.
PMID: 7641140 [PubMed - indexed for MEDLINE]
- ☐ **64:** Liu W, Kurlander RJ. Related Article
Analysis of the interrelationship between IL-12, TNF-alpha, and IFN-gamma production during murine listeriosis.
Cell Immunol. 1995 Jul;163(2):260-7.
PMID: 7606797 [PubMed - indexed for MEDLINE]
- ☐ **65:** Patel JR, Beuchat LR. Related Article
Enrichment in Fraser broth supplemented with catalase or Oxyrase, combined with the microcolony immunoblot technique, for detecting heat-injured *Listeria monocytogenes* in foods.
Int J Food Microbiol. 1995 Jul;26(2):165-76.
PMID: 7577355 [PubMed - indexed for MEDLINE]
- ☐ **66:** Rakhmilevich AL. Related Article
Neutrophils are essential for resolution of primary and secondary infection with *Listeria monocytogenes*.
J Leukoc Biol. 1995 Jun;57(6):827-31.
PMID: 7790763 [PubMed - indexed for MEDLINE]
- ☐ **67:** Matsutake T, Sasaki T, Ogino T, Kaku M, Nakayama E. Related Article
Prevention of mortality by in vivo depletion of alpha beta T cells in murine listeriosis and involvement of gamma delta T cells in bacterial elimination.
Immunobiology. 1995 Jun;193(1):71-83.
PMID: 7590864 [PubMed - indexed for MEDLINE]
- ☐ **68:** Loiseau O, Cottin J, Robert R, Tronchin G, Mahaza C, Senet JM. Related Article
Development and characterization of monoclonal antibodies specific for the genus *Listeria*.
FEMS Immunol Med Microbiol. 1995 Jun;11(3):219-30.
PMID: 7581274 [PubMed - indexed for MEDLINE]
- ☐ **69:** Harty JT, Pamer EG. Related Article
CD8 T lymphocytes specific for the secreted p60 antigen protect against *Listeria monocytogenes* infection.
J Immunol. 1995 May 1;154(9):4642-50.
PMID: 7722316 [PubMed - indexed for MEDLINE]
- ☐ **70:** Boury NM, Czuprynski CJ. Related Article
Listeria monocytogenes infection increases neutrophil adhesion and damage to murine hepatocyte cell line in vitro.
Immunol Lett. 1995 May;46(1-2):111-6.
PMID: 7590905 [PubMed - indexed for MEDLINE]
- ☐ **71:** Gahan CG, Collins JK. Related Article

Non-dystrophic 129 REJ mice are susceptible to i.p. infection with *Listeria monocytogenes* despite an ability to recruit inflammatory neutrophils to the peritoneal cavity.

Microb Pathog. 1995 May;18(5):355-64.

PMID: 7476100 [PubMed - indexed for MEDLINE]

- ☐ 72: Sheehan KC, Pinckard JK, Arthur CD, Dehner LP, Goeddel DV, Schreiber RD. Related Article

Monoclonal antibodies specific for murine p55 and p75 tumor necrosis factor receptors: identification of a novel in vivo role for p75.

J Exp Med. 1995 Feb 1;181(2):607-17.

PMID: 7836916 [PubMed - indexed for MEDLINE]

- ☐ 73: Song F, Matsuzaki G, Mitsuyama M, Nomoto K.

Related Article

In vitro generation of IFN-gamma-producing *Listeria*-specific T cells is dependent on IFN-gamma production by non-NK cells.

Cell Immunol. 1995 Feb;160(2):211-6.

PMID: 7720082 [PubMed - indexed for MEDLINE]

- ☐ 74: Rakhmilevich AL.

Related Article

Evidence that gamma delta T cells play a limited role in resistance to murine listeriosis.

Immunology. 1994 Dec;83(4):524-31.

PMID: 7875733 [PubMed - indexed for MEDLINE]

- ☐ 75: Czuprynski CJ, Brown JF, Wagner RD, Steinberg H.

Related Article

Administration of antigranulocyte monoclonal antibody RB6-8C5 prevents expression of acquired resistance to *Listeria monocytogenes* infection in previously immunized mice.

Infect Immun. 1994 Nov;62(11):5161-3.

PMID: 7927800 [PubMed - indexed for MEDLINE]

- ☐ 76: Ehlers S, Mielke ME, Hahn H.

Related Article

CD4+ T cell associated cytokine gene expression during experimental infection with *Listeria monocytogenes*: the mRNA phenotype of granuloma formation.

Int Immunol. 1994 Nov;6(11):1727-37.

PMID: 7865466 [PubMed - indexed for MEDLINE]

- ☐ 77: Kathariou S, Mizumoto C, Allen RD, Fok AK, Benedict AA.

Related Article

Monoclonal antibodies with a high degree of specificity for *Listeria monocytogenes* serotype 4b.

Appl Environ Microbiol. 1994 Oct;60(10):3548-52.

PMID: 7986031 [PubMed - indexed for MEDLINE]

- ☐ 78: Wagner RD, Steinberg H, Brown JF, Czuprynski CJ.

Related Article

Recombinant interleukin-12 enhances resistance of mice to *Listeria monocytogenes* infection.

Microb Pathog. 1994 Sep;17(3):175-86.

PMID: 7700134 [PubMed - indexed for MEDLINE]

- ☐ 79: Tomida S, Hasegawa T, Takeuchi M, Niimi N, Ueda M, Kaneda T, Tanaka T, Tamatani T, Miyasaka M, Yoshikai Y. Related Article

Intercellular adhesion molecule-1 and leukocyte function-associated antigen-1 involved in protection mediated by CD3+TCR alpha beta- T cells at the early stage after infection with *Listeria monocytogenes* in rats.

Int Immunol. 1994 Jul;6(7):955-61.

PMID: 7947463 [PubMed - indexed for MEDLINE]

☐ **80:** Conlan JW, North RJ.

Related Article

Listeria monocytogenes, but not *Salmonella typhimurium*, elicits a CD18-independent mechanism of neutrophil extravasation into the murine peritoneal cavity.

Infect Immun. 1994 Jul;62(7):2702-6.

PMID: 7911783 [PubMed - indexed for MEDLINE]

☐ **81:** Liu Z, Simpson RJ, Cheers C.

Related Article

Role of IL-6 in activation of T cells for acquired cellular resistance to *Listeria monocytogenes*.

J Immunol. 1994 Jun 1;152(11):5375-80.

PMID: 8189056 [PubMed - indexed for MEDLINE]

☐ **82:** Wagner RD, Maroushek NM, Brown JF, Czuprynski CJ.

Related Article

Treatment with anti-interleukin-10 monoclonal antibody enhances early resistance to but impairs complete clearance of *Listeria monocytogenes* infection in mice.

Infect Immun. 1994 Jun;62(6):2345-53.

PMID: 8188357 [PubMed - indexed for MEDLINE]

☐ **83:** Takada H, Matsuzaki G, Hiromatsu K, Nomoto K.

Related Article

Analysis of the role of natural killer cells in *Listeria monocytogenes* infection: relation between natural killer cells and T-cell receptor gamma delta T cells in host defence mechanism at the early stage of infection.

Immunology. 1994 May;82(1):106-12.

PMID: 8045587 [PubMed - indexed for MEDLINE]

☐ **84:** Teixeira HC, Kaufmann SH.

Related Article

Role of NK1.1+ cells in experimental listeriosis. NK1+ cells are early IFN-gamma producers but impair resistance to *Listeria monocytogenes* infection.

J Immunol. 1994 Feb 15;152(4):1873-82.

PMID: 8120395 [PubMed - indexed for MEDLINE]

☐ **85:** Czuprynski CJ, Brown JF, Maroushek N, Wagner RD, Steinberg H.

Related Article

Administration of anti-granulocyte mAb RB6-8C5 impairs the resistance of mice to *Listeria monocytogenes* infection.

J Immunol. 1994 Feb 15;152(4):1836-46.

PMID: 8120393 [PubMed - indexed for MEDLINE]

☐ **86:** Haak-Frendscho M, Marsters SA, Mordenti J, Brady S, Gillett NA, Chen SA, Ashkenazi A.

Related Article

Inhibition of TNF by a TNF receptor immunoadhesin. Comparison to an anti-TNF monoclonal antibody.

J Immunol. 1994 Feb 1;152(3):1347-53.

PMID: 8301136 [PubMed - indexed for MEDLINE]

- ☐ **87:** [Eto M, Yoshikai Y, Nishimura Y, Hiromatsu K, Maeda T, Nomoto K, Kong YY, Kubo RT, Kumazawa J, Nomoto K.](#) Related Article
Inhibition of allograft rejection by anti-T-cell receptor-alpha beta monoclonal antibodies preserving resistance to bacterial infection.
Immunology. 1994 Feb;81(2):198-204.
PMID: 8157269 [PubMed - indexed for MEDLINE]
- ☐ **88:** [Conlan JW, North RJ.](#) Related Article
Neutrophils are essential for early anti-Listeria defense in the liver, but not in spleen or peritoneal cavity, as revealed by a granulocyte-depleting monoclonal antibody.
J Exp Med. 1994 Jan 1;179(1):259-68.
PMID: 8270870 [PubMed - indexed for MEDLINE]
- ☐ **89:** [Rogers HW, Unanue ER.](#) Related Article
Neutrophils are involved in acute, nonspecific resistance to Listeria monocytogenes in mice.
Infect Immun. 1993 Dec;61(12):5090-6.
PMID: 8225586 [PubMed - indexed for MEDLINE]
- ☐ **90:** [Drevets DA, Leenen PJ, Campbell PA.](#) Related Article
Complement receptor type 3 (CD11b/CD18) involvement is essential for killing of Listeria monocytogenes by mouse macrophages.
J Immunol. 1993 Nov 15;151(10):5431-9.
PMID: 8228236 [PubMed - indexed for MEDLINE]
- ☐ **91:** [Torensma R, Visser MJ, Aarsman CJ, Poppelier MJ, Fluit AC, Verhoef J.](#) Related Article
Monoclonal antibodies that react with live Listeria spp.
Appl Environ Microbiol. 1993 Aug;59(8):2713-6.
PMID: 8368856 [PubMed - indexed for MEDLINE]
- ☐ **92:** [Fliss I, St Laurent M, Emond E, Lemieux R, Simard RE, Ettriki A, Pandian S.](#) Related Article
Production and characterization of anti-DNA-RNA monoclonal antibodies and their application in Listeria detection.
Appl Environ Microbiol. 1993 Aug;59(8):2698-705.
PMID: 7690222 [PubMed - indexed for MEDLINE]
- ☐ **93:** [Domann E, Wehland J, Niebuhr K, Haffner C, Leimeister-Wachter M, Chakraborty T.](#) Related Article
Detection of a prfA-independent promoter responsible for listeriolysin gene expression in mutant Listeria monocytogenes strains lacking the PrfA regulator.
Infect Immun. 1993 Jul;61(7):3073-5.
PMID: 8514414 [PubMed - indexed for MEDLINE]
- ☐ **94:** [Nakane A, Okamoto M, Asano M, Kohanawa M, Minagawa T.](#) Related Article
An anti-CD3 monoclonal antibody protects mice against a lethal infection with Listeria monocytogenes through induction of endogenous cytokines.
Infect Immun. 1993 Jul;61(7):2786-92.
PMID: 8514380 [PubMed - indexed for MEDLINE]

- ☐ **95:** [Conlan JW, Dunn PL, North RJ.](#) Related Article
Leukocyte-mediated lysis of infected hepatocytes during listeriosis occurs in mice depleted of NK cells or CD4+ CD8+ Thy1.2+ T cells.
Infect Immun. 1993 Jun;61(6):2703-7.
PMID: 8099068 [PubMed - indexed for MEDLINE]
- ☐ **96:** [Fluit AC, Torensma R, Visser MJ, Aarsman CJ, Poppelier MJ, Keller BH, Klapwijk P, Verhoef J.](#) Related Article
Detection of *Listeria monocytogenes* in cheese with the magnetic immuno-polymerase chain reaction assay.
Appl Environ Microbiol. 1993 May;59(5):1289-93.
PMID: 8517730 [PubMed - indexed for MEDLINE]
- ☐ **97:** [Yamamoto S, Russ F, Teixeira HC, Conradt P, Kaufmann SH.](#) Related Article
Listeria monocytogenes-induced gamma interferon secretion by intestinal intraepithelial gamma/delta T lymphocytes.
Infect Immun. 1993 May;61(5):2154-61.
PMID: 8478105 [PubMed - indexed for MEDLINE]
- ☐ **98:** [Tripp CS, Wolf SF, Unanue ER.](#) Related Article
Interleukin 12 and tumor necrosis factor alpha are costimulators of interferon gamma production by natural killer cells in severe combined immunodeficient mice with listeriosis, and interleukin 10 is a physiologic antagonist.
Proc Natl Acad Sci U S A. 1993 Apr 15;90(8):3725-9.
PMID: 8097322 [PubMed - indexed for MEDLINE]
- ☐ **99:** [Conlan JW, North RJ.](#) Related Article
Early pathogenesis of infection in the liver with the facultative intracellular bacteria *Listeria monocytogenes*, *Francisella tularensis*, and *Salmonella typhimurium* involves lysis of infected hepatocytes by leukocytes.
Infect Immun. 1992 Dec;60(12):5164-71.
PMID: 1452350 [PubMed - indexed for MEDLINE]
- ☐ **100:** [Beckerman KP, Schreiber RD, Needleman P.](#) Related Article
Cytokine modulation of immune activation associated suppression of macrophage cyclooxygenase activity in vivo.
Prostaglandins Leukot Essent Fatty Acids. 1992 Nov;47(3):231-8.
PMID: 1475281 [PubMed - indexed for MEDLINE]
- ☐ **101:** [Kaye PM, Bancroft GJ.](#) Related Article
Leishmania donovani infection in scid mice: lack of tissue response and in vivo macrophage activation correlates with failure to trigger natural killer cell-derived gamma interferon production in vitro.
Infect Immun. 1992 Oct;60(10):4335-42.
PMID: 1398944 [PubMed - indexed for MEDLINE]
- ☐ **102:** [Conlan JW, North RJ.](#) Related Article
Monoclonal antibody NIMP-R10 directed against the CD11b chain of the type 1 complement receptor can substitute for monoclonal antibody 5C6 to exacerbate listeriosis by preventing the focusing of myelomonocytic cells at infectious foci in the liver.

J Leukoc Biol. 1992 Jul;52(1):130-2.
PMID: 1640170 [PubMed - indexed for MEDLINE]

- ☐ **103:** Haak-Frendscho M, Brown JF, Iizawa Y, Wagner RD, Czuprynski CJ. Related Article
Administration of anti-IL-4 monoclonal antibody 11B11 increases the resistance of mice to *Listeria monocytogenes* infection.
J Immunol. 1992 Jun 15;148(12):3978-85.
PMID: 1602140 [PubMed - indexed for MEDLINE]

- ☐ **104:** Bhunja AK, Johnson MG. Related Article
Monoclonal antibody specific for *Listeria monocytogenes* associated with a 66-kilodalton cell surface antigen.
Appl Environ Microbiol. 1992 Jun;58(6):1924-9.
PMID: 1622267 [PubMed - indexed for MEDLINE]

- ☐ **105:** Harty JT, Bevan MJ. Related Article
CD8+ T cells specific for a single nonamer epitope of *Listeria monocytogenes* protective in vivo.
J Exp Med. 1992 Jun 1;175(6):1531-8.
PMID: 1375265 [PubMed - indexed for MEDLINE]

- ☐ **106:** Fontan E, Saklani-Jusforgues H, Fauve RM. Related Article
Immunostimulatory human urinary protein.
Proc Natl Acad Sci U S A. 1992 May 15;89(10):4358-62.
PMID: 1584770 [PubMed - indexed for MEDLINE]

- ☐ **107:** Mielke ME, Rosen H, Brocke S, Peters C, Hahn H. Related Article
Protective immunity and granuloma formation are mediated by two distinct tumor necrosis factor alpha- and gamma interferon-dependent T cell-phagocyte interactions in murine listeriosis: dissociation on the basis of phagocyte adhesion mechanisms.
Infect Immun. 1992 May;60(5):1875-82.
PMID: 1563777 [PubMed - indexed for MEDLINE]

- ☐ **108:** Wang RF, Cao WW, Johnson MG. Related Article
Development of cell surface protein associated gene probe specific for *Listeria monocytogenes* and detection of the bacteria in food by PCR.
Mol Cell Probes. 1992 Apr;6(2):119-29.
PMID: 1513341 [PubMed - indexed for MEDLINE]

- ☐ **109:** Nakane A, Numata A, Minagawa T. Related Article
Endogenous tumor necrosis factor, interleukin-6, and gamma interferon levels during *Listeria monocytogenes* infection in mice.
Infect Immun. 1992 Feb;60(2):523-8.
PMID: 1730485 [PubMed - indexed for MEDLINE]

- ☐ **110:** Nauciel C, Espinasse-Maes F. Related Article
Role of gamma interferon and tumor necrosis factor alpha in resistance to *Salmonella typhimurium* infection.
Infect Immun. 1992 Feb;60(2):450-4.
PMID: 1730475 [PubMed - indexed for MEDLINE]

- ☐ **111:** Rogers HW, Sheehan KC, Brunt LM, Dower SK, Unanue ER, Schreiber RD. **Related Article**
Interleukin 1 participates in the development of anti-Listeria responses in normal and SCID mice.
Proc Natl Acad Sci U S A. 1992 Feb 1;89(3):1011-5.
PMID: 1531270 [PubMed - indexed for MEDLINE]
- ☐ **112:** Hiromatsu K, Yoshikai Y, Matsuzaki G, Ohga S, Muramori K, Matsumoto K, Bluestone JA, Nomoto K. **Related Article**
A protective role of gamma/delta T cells in primary infection with *Listeria monocytogenes* in mice.
J Exp Med. 1992 Jan 1;175(1):49-56.
PMID: 1530961 [PubMed - indexed for MEDLINE]
- ☐ **113:** Nato F, Reich K, Lhopital S, Rouyre S, Geoffroy C, Mazie JC, Cossart P. **Related Article**
Production and characterization of neutralizing and nonneutralizing monoclonal antibodies against listeriolysin O.
Infect Immun. 1991 Dec;59(12):4641-6.
PMID: 1937824 [PubMed - indexed for MEDLINE]
- ☐ **114:** Skjerve E, Bos W, van der Gaag B. **Related Article**
Evaluation of monoclonal antibodies to *Listeria monocytogenes* flagella by checkerboard ELISA and cluster analysis.
J Immunol Methods. 1991 Nov 5;144(1):11-7.
PMID: 1960399 [PubMed - indexed for MEDLINE]
- ☐ **115:** Dunn PL, North RJ. **Related Article**
The importance of route of infection in determining the extent of exacerbation of listeriosis by anti-interferon-gamma monoclonal antibody.
J Interferon Res. 1991 Oct;11(5):291-5.
PMID: 1774468 [PubMed - indexed for MEDLINE]
- ☐ **116:** Nakane A, Numata A, Chen Y, Minagawa T. **Related Article**
Endogenous gamma interferon-independent host resistance against *Listeria monocytogenes* infection in CD4+ T cell- and asialo GM1+ cell-depleted mice.
Infect Immun. 1991 Oct;59(10):3439-45.
PMID: 1680104 [PubMed - indexed for MEDLINE]
- ☐ **117:** Farber JM, Peterkin PI. **Related Article**
Listeria monocytogenes, a food-borne pathogen.
Microbiol Rev. 1991 Sep;55(3):476-511. Review.
PMID: 1943998 [PubMed - indexed for MEDLINE]
- ☐ **118:** Conlan JW, North RJ. **Related Article**
Neutrophil-mediated dissolution of infected host cells as a defense strategy against a facultative intracellular bacterium.
J Exp Med. 1991 Sep 1;174(3):741-4.
PMID: 1908513 [PubMed - indexed for MEDLINE]
- ☐ **119:** Bhunia AK, Ball PH, Fuad AT, Kurz BW, Emerson JW, Johnson MG. **Related Article**
Development and characterization of a monoclonal antibody specific for *Listeria*.

monocytogenes and *Listeria innocua*.
Infect Immun. 1991 Sep;59(9):3176-84.
PMID: 1715321 [PubMed - indexed for MEDLINE]

☐ **120:** Drevets DA, Campbell PA. Related Article

Roles of complement and complement receptor type 3 in phagocytosis of *Listeria monocytogenes* by inflammatory mouse peritoneal macrophages.
Infect Immun. 1991 Aug;59(8):2645-52.
PMID: 1906842 [PubMed - indexed for MEDLINE]

☐ **121:** Leist TP, Meager A, Exley T, Zinkernagel RM. Related Article

Evidence for a role of IFN gamma in control of *Listeria monocytogenes* in T cell deficient mice.
Experientia. 1991 Jun 15;47(6):630-2.
PMID: 1829687 [PubMed - indexed for MEDLINE]

☐ **122:** Safley SA, Cluff CW, Marshall NE, Ziegler HK. Related Article

Role of listeriolysin-O (LLO) in the T lymphocyte response to infection with *Listeria monocytogenes*. Identification of T cell epitopes of LLO.
J Immunol. 1991 May 15;146(10):3604-16.
PMID: 1709197 [PubMed - indexed for MEDLINE]

☐ **123:** Nomoto K, Yoshikai Y. Related Article

Heat-shock proteins and immunopathology: regulatory role of heat-shock protein-specific T cells.
Springer Semin Immunopathol. 1991;13(1):63-80. No abstract available.
PMID: 1837961 [PubMed - indexed for MEDLINE]

☐ **124:** Rosen H. Related Article

Role of CR3 in induced myelomonocytic recruitment: insights from in vivo monoclonal antibody studies in the mouse.
J Leukoc Biol. 1990 Nov;48(5):465-9. Review. No abstract available.
PMID: 2230596 [PubMed - indexed for MEDLINE]

☐ **125:** Skjerve E, Rorvik LM, Olsvik O. Related Article

Detection of *Listeria monocytogenes* in foods by immunomagnetic separation.
Appl Environ Microbiol. 1990 Nov;56(11):3478-81.
PMID: 2125186 [PubMed - indexed for MEDLINE]

☐ **126:** Czuprynski CJ, Brown JF. Related Article

Effects of purified anti-Lyt-2 mAb treatment on murine listeriosis: comparative roles of Lyt-2+ and L3T4+ cells in resistance to primary and secondary infection, delayed-type hypersensitivity and adoptive transfer of resistance.
Immunology. 1990 Sep;71(1):107-12.
PMID: 2120126 [PubMed - indexed for MEDLINE]

☐ **127:** Vos JG, De Klerk A, Krajnc EI, Van Loveren H, Rozing J. Related Article

Immunotoxicity of bis(tri-n-butyltin)oxide in the rat: effects on thymus-dependent immunity and on nonspecific resistance following long-term exposure in young versus aged rats.
Toxicol Appl Pharmacol. 1990 Aug;105(1):144-55.

PMID: 2118283 [PubMed - indexed for MEDLINE]

- ☐ **128:** Samuel D, McLauchlin J, Taylor AG. Related Article
Enhanced chemiluminescence ELISA for *Listeria* specific antigen in cerebrospinal fluid using an FITC-anti-FITC system.
J Biolumin Chemilumin. 1990 Jul-Sep;5(3):179-82.
PMID: 2120907 [PubMed - indexed for MEDLINE]
- ☐ **129:** Chen TY, Bright SW, Pace JL, Russell SW, Morrison DC. Related Article
Induction of macrophage-mediated tumor cytotoxicity by a hamster monoclonal antibody with specificity for lipopolysaccharide receptor.
J Immunol. 1990 Jul 1;145(1):8-12.
PMID: 1694209 [PubMed - indexed for MEDLINE]
- ☐ **130:** Siragusa GR, Johnson MG. Related Article
Monoclonal antibody specific for *Listeria monocytogenes*, *Listeria innocua*, and *Listeria welshimeri*.
Appl Environ Microbiol. 1990 Jun;56(6):1897-904.
PMID: 2116762 [PubMed - indexed for MEDLINE]
- ☐ **131:** Sasaki T, Mieno M, Udono H, Yamaguchi K, Usui T, Hara K, Shiku H, Nakayama E. Related Article
Roles of CD4+ and CD8+ cells, and the effect of administration of recombinant murine interferon gamma in listerial infection.
J Exp Med. 1990 Apr 1;171(4):1141-54.
PMID: 2109036 [PubMed - indexed for MEDLINE]
- ☐ **132:** Baldrige JR, Barry RA, Hinrichs DJ. Related Article
Expression of systemic protection and delayed-type hypersensitivity to *Listeria monocytogenes* is mediated by different T-cell subsets.
Infect Immun. 1990 Mar;58(3):654-8.
PMID: 2106491 [PubMed - indexed for MEDLINE]
- ☐ **133:** Nouza K, Sula K, Dvorak R, Svobodova M, Muller J, Sobotkova E. Related Article
Preclinical screening and analysis of the immunotoxic and immunomodulatory activity using a multiple immunoassay (MIA) in mice.
Int J Immunopharmacol. 1990;12(1):11-8.
PMID: 2105913 [PubMed - indexed for MEDLINE]
- ☐ **134:** Rodewald HR, Koszinowski UH, Eichmann K, Melchers I. Related Article
Predominant utilization of V beta 8+ T cell receptor genes in the H-2Ld-restricted cytotoxic T cell response against the immediate-early protein pp89 of the murine cytomegalovirus.
J Immunol. 1989 Dec 15;143(12):4238-43.
PMID: 2556481 [PubMed - indexed for MEDLINE]
- ☐ **135:** Rosen H, Gordon S, North RJ. Related Article
Exacerbation of murine listeriosis by a monoclonal antibody specific for the type 3 complement receptor of myelomonocytic cells. Absence of monocytes at infective foci allows *Listeria* to multiply in nonphagocytic cells.
J Exp Med. 1989 Jul 1;170(1):27-37.

PMID: 2501445 [PubMed - indexed for MEDLINE]

- ☐ **136:** Bancroft GJ, Sheehan KC, Schreiber RD, Unanue ER. Related Article

Tumor necrosis factor is involved in the T cell-independent pathway of macrophage activation in scid mice.

J Immunol. 1989 Jul 1;143(1):127-30.

PMID: 2499625 [PubMed - indexed for MEDLINE]

- ☐ **137:** Handa T, Mitsuyama M, Serushago BA, Muramori K, Nomoto K. Related Article

A low degree of requirement for Ia-positive macrophages and IL 2 in the induction phase of *Listeria monocytogenes*-specific T cells in vitro.

Immunobiology. 1989 Jun;179(2-3):244-58.

PMID: 2507444 [PubMed - indexed for MEDLINE]

- ☐ **138:** McLauchlin J, Crofts N, Campbell DM. Related Article

A possible outbreak of listeriosis caused by an unusual strain of *Listeria monocytogenes*.

J Infect. 1989 Mar;18(2):179-87.

PMID: 2496171 [PubMed - indexed for MEDLINE]

- ☐ **139:** Berche P, Decreusefond C, Theodorou I, Stiffel C. Related Article

Impact of genetically regulated T cell proliferation on acquired resistance to *Listeria monocytogenes*.

J Immunol. 1989 Feb 1;142(3):932-9.

PMID: 2783604 [PubMed - indexed for MEDLINE]

- ☐ **140:** Czuprynski CJ, Brown JF, Young KM, Cooley AJ. Related Article

Administration of purified anti-L3T4 monoclonal antibody impairs the resistance of mice to *Listeria monocytogenes* infection.

Infect Immun. 1989 Jan;57(1):100-9.

PMID: 2642464 [PubMed - indexed for MEDLINE]

- ☐ **141:** Majima T, Itoh K, Yatsu J, Yoshie O, Ishida N. Related Article

Sensitive detection of two IgG Fc receptors of mouse macrophages by chemiluminescence analysis.

Immunopharmacol Immunotoxicol. 1989;11(2-3):289-307.

PMID: 2559930 [PubMed - indexed for MEDLINE]

- ☐ **142:** McLauchlin J, Ridley AM, Taylor AG. Related Article

The use of monoclonal antibodies against *Listeria monocytogenes* in a direct immunofluorescence technique for the rapid presumptive identification and demonstration of *Listeria* in food.

Acta Microbiol Hung. 1989;36(4):467-71.

PMID: 2518149 [PubMed - indexed for MEDLINE]

- ☐ **143:** McLauchlin J, Taylor AG. Related Article

The use of monoclonal antibodies in the characterization and purification of cell surface antigens of *Listeria monocytogenes* serogroup 4.

Acta Microbiol Hung. 1989;36(4):459-65.

PMID: 2518148 [PubMed - indexed for MEDLINE]

- ☐ **144:** McLauchlin J, Samuel D, Taylor AG. Related Article
The use of monoclonal antibodies to demonstrate *Listeria monocytogenes* in post mortem tissue using a direct immunofluorescence technique, and to detect a soluble antigen in CSF supernatants using an ELISA.
Acta Microbiol Hung. 1989;36(2-3):303-8.
PMID: 2517176 [PubMed - indexed for MEDLINE]
- ☐ **145:** Anthony LS, James RF, Maudsley DJ, Kongshavn PA. Related Article
Inhibition of expression of cell-mediated immunity by a cell surface-binding antibody directed against T-cell helper factors.
Immunology. 1988 Oct;65(2):273-6.
PMID: 3263944 [PubMed - indexed for MEDLINE]
- ☐ **146:** McLauchlin J, Black A, Green HT, Nash JQ, Taylor AG. Related Article
Monoclonal antibodies show *Listeria monocytogenes* in necropsy tissue samples.
J Clin Pathol. 1988 Sep;41(9):983-8.
PMID: 3142937 [PubMed - indexed for MEDLINE]
- ☐ **147:** Mielke ME, Ehlers S, Hahn H. Related Article
T-cell subsets in delayed-type hypersensitivity, protection, and granuloma formation in primary and secondary *Listeria* infection in mice: superior role of Lyt-2+ cells in acquired immunity.
Infect Immun. 1988 Aug;56(8):1920-5.
PMID: 2969373 [PubMed - indexed for MEDLINE]
- ☐ **148:** Anthony BF, Hill HR. Related Article
Gram-positive bacteria: an overview and summary of session.
Rev Infect Dis. 1988 Jul-Aug;10 Suppl 2:S345-50. Review.
PMID: 3055202 [PubMed - indexed for MEDLINE]
- ☐ **149:** Keller R, Joller P, Keist R, Binz H, van der Meide PH. Related Article
Modulation of major histocompatibility complex (MHC) expression by interferons and microbial agents. Independent regulation of MHC class II expression and induction of tumoricidal activity in bone marrow-derived mononuclear phagocytes.
Scand J Immunol. 1988 Jul;28(1):113-21.
PMID: 2456605 [PubMed - indexed for MEDLINE]
- ☐ **150:** Butman BT, Plank MC, Durham RJ, Mattingly JA. Related Article
Monoclonal antibodies which identify a genus-specific *Listeria* antigen.
Appl Environ Microbiol. 1988 Jun;54(6):1564-9.
PMID: 3137865 [PubMed - indexed for MEDLINE]
- ☐ **151:** Huebner RE, Byrne GL. Related Article
In vivo-activated mononuclear phagocytes and protective immunity to chlamydiae in mice.
Infect Immun. 1988 Jun;56(6):1492-9.
PMID: 3131246 [PubMed - indexed for MEDLINE]
- ☐ **152:** Mattingly JA, Butman BT, Plank MC, Durham RJ, Robison BJ. Related Article

Rapid monoclonal antibody-based enzyme-linked immunosorbent assay for detection of Listeria in food products.

J Assoc Off Anal Chem. 1988 May-Jun;71(3):679-81.

PMID: 3391974 [PubMed - indexed for MEDLINE]

- ☐ **153:** Kaufmann SH, Rodewald HR, Hug E, De Libero G.

Related Article

Cloned Listeria monocytogenes specific non-MHC-restricted Lyt-2+ T cells with cytolytic and protective activity.

J Immunol. 1988 May 1;140(9):3173-9.

PMID: 3129513 [PubMed - indexed for MEDLINE]

- ☐ **154:** Oh CS, Stratta RJ, Fox BC, Sollinger HW, Belzer FO, Maki DG.

Related Article

Increased infections associated with the use of OKT3 for treatment of steroid-resistant rejection in renal transplantation.

Transplantation. 1988 Jan;45(1):68-73.

PMID: 3276066 [PubMed - indexed for MEDLINE]

- ☐ **155:** Lu CY, Lemay PA, Lombardi MJ.

Related Article

Inhibition of antigen-specific activation of an L3T4+ T cell line by cyclosporin with maintenance of macrophage-mediated antigen presentation.

Transplantation. 1988 Jan;45(1):187-94.

PMID: 3257307 [PubMed - indexed for MEDLINE]

- ☐ **156:** Cerny A, Hugin AW, Bazin H, Sutter S, Hengartner H, Zinkernagel RM.

Related Article

Anti-Listeria monocytogenes immunity in mu-suppressed mice: a comparison treatment with conventional hyperimmune rabbit anti-mouse IgM and affinity-purified, monoclonal rat anti-mouse IgM.

Med Microbiol Immunol (Berl). 1988;177(3):123-31.

PMID: 3134601 [PubMed - indexed for MEDLINE]

- ☐ **157:** Bancroft GJ, Schreiber RD, Bosma GC, Bosma MJ, Unanue ER.

Related Article

A T cell-independent mechanism of macrophage activation by interferon-gamma

J Immunol. 1987 Aug 15;139(4):1104-7.

PMID: 3112223 [PubMed - indexed for MEDLINE]

- ☐ **158:** Wing EJ, Magee DM, Barczynski LK.

Related Article

Analysis of colony-stimulating factors and macrophage progenitor cells in mice immunized against Listeria monocytogenes by adoptive transfer.

Infect Immun. 1987 Aug;55(8):1843-7.

PMID: 2886433 [PubMed - indexed for MEDLINE]

- ☐ **159:** De Libero G, Kaufmann SH.

Related Article

Antigen-specific Lyt-2+ cytolytic T lymphocytes from mice infected with the intracellular bacterium Listeria monocytogenes.

J Immunol. 1986 Oct 15;137(8):2688-94.

PMID: 3489772 [PubMed - indexed for MEDLINE]

- ☐ **160:** Stolpmann RM, Sperling U, Hahn H.

Related Article

Characterization of three different rat T-cell clones with specificity to Listeria monocytogenes: phenotype, specific proliferation, lymphokine production, and protective capacity in vivo.

Cell Immunol. 1986 Sep;101(2):548-57.
PMID: 3093093 [PubMed - indexed for MEDLINE]

- ☐ **161:** Chen-Woan M, McGregor DD, Noonan SK. Related Article

Isolation and characterization of protective T cells induced by *Listeria monocytogenes*.

Infect Immun. 1986 May;52(2):401-7.
PMID: 3084382 [PubMed - indexed for MEDLINE]

- ☐ **162:** Chen-Woan M, McGregor DD, Harris WV, Greiner DL. Related Article

Monoclonal antibody analysis of *Listeria monocytogenes*-induced cytotoxic lymphocytes.

Immunology. 1986 Apr;57(4):505-13.
PMID: 3082747 [PubMed - indexed for MEDLINE]

- ☐ **163:** Virgin HW 4th, Wittenberg GF, Unanue ER. Related Article

Immune complex effects on murine macrophages. I. Immune complexes suppress interferon-gamma induction of Ia expression.

J Immunol. 1985 Dec;135(6):3735-43.
PMID: 3934266 [PubMed - indexed for MEDLINE]

- ☐ **164:** Buchmeier NA, Schreiber RD. Related Article

Requirement of endogenous interferon-gamma production for resolution of *Listeria monocytogenes* infection.

Proc Natl Acad Sci U S A. 1985 Nov;82(21):7404-8.
PMID: 3933006 [PubMed - indexed for MEDLINE]

- ☐ **165:** Johnson SC, Zwilling BS. Related Article

Continuous expression of I-A antigen by peritoneal macrophages from mice resistant to *Mycobacterium bovis* (strain BCG).

J Leukoc Biol. 1985 Nov;38(5):635-47.
PMID: 3930641 [PubMed - indexed for MEDLINE]

- ☐ **166:** Koestler TP, Badger AM, Rieman DJ, Greig R, Poste G. Related Article

Induction by immunomodulatory agents of a macrophage antigen recognized by monoclonal antibody 158.2 and correlation with macrophage function.

Cell Immunol. 1985 Nov;96(1):113-25.
PMID: 3013425 [PubMed - indexed for MEDLINE]

- ☐ **167:** Chen-Woan M, Sajewski DH, McGregor DD. Related Article

T-cell co-operation in the mediation of acquired resistance to *Listeria monocytogenes*.

Immunology. 1985 Sep;56(1):33-42.
PMID: 3876276 [PubMed - indexed for MEDLINE]

- ☐ **168:** Naher H, Sperling U, Takacs L, Hahn H. Related Article

Dynamics of T cells of L3T4 and Ly 2 phenotype within granulomas in murine listeriosis.

Clin Exp Immunol. 1985 Jun;60(3):559-64.
PMID: 3874730 [PubMed - indexed for MEDLINE]

- ☐ **169:** Read EJ, Orenstein JM, Chorba TL, Schwartz AM, Simon GL, Lewis JH, Schulof RS. Related Article
Listeria monocytogenes sepsis and small cell carcinoma of the rectum: an unusual presentation of the acquired immunodeficiency syndrome.
Am J Clin Pathol. 1985 Mar;83(3):385-9.
PMID: 2983527 [PubMed - indexed for MEDLINE]
- ☐ **170:** Holmberg LA, Miller BA, Ault KA. Related Article
The effect of natural killer cells on the development of syngeneic hematopoietic progenitors.
J Immunol. 1984 Dec;133(6):2933-9.
PMID: 6436368 [PubMed - indexed for MEDLINE]
- ☐ **171:** Vos JG, de Klerk A, Krajnc EI, Kruizinga W, van Ommen B, Rozing J. Related Article
Toxicity of bis(tri-n-butyltin)oxide in the rat. II. Suppression of thymus-dependent immune responses and of parameters of nonspecific resistance after short-term exposure.
Toxicol Appl Pharmacol. 1984 Sep 30;75(3):387-408.
PMID: 6474470 [PubMed - indexed for MEDLINE]
- ☐ **172:** Chen-Woan M, McGregor DD. Related Article
The mediators of acquired resistance to Listeria monocytogenes are contained within a population of cytotoxic T cells.
Cell Immunol. 1984 Sep;87(2):538-45.
PMID: 6331897 [PubMed - indexed for MEDLINE]
- ☐ **173:** Barry RA, Hinrichs DJ. Related Article
Enhancement of passive antilisterial immunity and change of Lyt phenotype following in vitro stimulation of murine lymphoid cells from immune donors.
Clin Invest Med. 1984;7(4):303-9.
PMID: 6442653 [PubMed - indexed for MEDLINE]
- ☐ **174:** Ziegler HK, Orlin CA. Related Article
Analysis of Listeria monocytogenes antigens with monoclonal antibodies.
Clin Invest Med. 1984;7(4):239-42.
PMID: 6442647 [PubMed - indexed for MEDLINE]
- ☐ **175:** Honda M, Yoshimura T, Watanabe T, Hayashi H. Related Article
Chemotactic macrophage subpopulations defined by macrophage chemotactic factors from delayed hypersensitivity reaction sites.
J Immunol. 1983 Dec;131(6):2989-94.
PMID: 6196408 [PubMed - indexed for MEDLINE]
- ☐ **176:** Ho MK, Springer TA. Related Article
Mac-2, a novel 32,000 Mr mouse macrophage subpopulation-specific antigen defined by monoclonal antibodies.
J Immunol. 1982 Mar;128(3):1221-8.
PMID: 6173426 [PubMed - indexed for MEDLINE]
- ☐ **177:** Woan MC, McGregor DD, Goldschneider I. Related Article
T cell-mediated cytotoxicity induced by Listeria monocytogenes. III. Phenotype

characteristics of mediator T cells.

J Immunol. 1981 Dec;127(6):2330-4.

PMID: 6795271 [PubMed - indexed for MEDLINE]

☐ **178:** Holmberg LA, Springer TA, Ault KA.**Related Article**

Natural killer activity in the peritoneal exudates of mice infected with *Listeria monocytogenes*: characterization of the natural killer cells by using a monoclonal anti-murine macrophage antibody (M1/70).

J Immunol. 1981 Nov;127(5):1792-9.

PMID: 6795262 [PubMed - indexed for MEDLINE]

Display	Summary	<input type="checkbox"/>	Save	Text	Order	Details	Add to Clipboard
Show:	200	<input type="checkbox"/>	Items 1-178 of 178				One page

[Write to the Help Desk](#)[NCBI](#) | [NLM](#) | [NIH](#)[Department of Health & Human Services](#)[Freedom of Information Act](#) | [Disclaimer](#)